



CORTONA

Design Guide



Profile & Dimensions



Available TivoTape Options - Indoor

DEFINE

SB
HO
LB

ELITE

SB
HO
VHO

ELITE+

Plus
Pro
Vision
Flow
DUO

FUSE24

RGB
RGB+W
RGB+W+W
DW
Pixle24 RGB
Pixle24 RGBW

FUSE12

PiXEL12 RGB

Available TivoTape Options - Outdoor

DEFINE

SB
HO
LB

ELITE

SB
HO

ELITE+

Plus


FUSE24

RGB
RGB+W

FUSE12

PiXEL12 RGB

Ordering Information



COTA-CHAN-SLV-6.5

Low Profile Anodized
Aluminum Extrusion,
available in 6.5' lengths



COTA-LNS-XXX-6.5

XXX = **OPL** (Opal), **CLR**,
(Clear), **DIF** (Diffused)
lens, length 6.5'



COTA-EC-01


Solid End Cap



COTA-EC-02

Powerfeed End Cap

Ordering Information



COTA-ADJ-MTBK
Adjustable Mounting Bracket



COTA-MTBK-CL
Clear PC Mounting Clip



UNIV-ADJ-MTBK
Universal Adjustable Mounting Bracket


Diode Visibility



Opal lens



Clear lens



Diffused lens