



CORTONA

Design Guide



Profile & Dimensions




Available TivoTape Options - Indoor

DEFINE SB HO LB	ELITE SB HO VHO	ELITE+ Plus Pro Vision Flow DUO	COB LB HO	FUSE24 RGB RGB+W RGB+W+W DW Pixle24 RGB Pixle24 RGBW	FUSE12 Pixel12 RGB
---------------------------------	---------------------------------	---	------------------------	---	------------------------------

Available TivoTape Options - Outdoor

DEFINE SB HO LB	ELITE SB HO	ELITE+ Plus Pro Flow	FUSE24 RGB RGB+W RGB+W+W
---------------------------------	--------------------------	--------------------------------------	--

Ordering Information



COTA-CHAN-XXX-6.5
XXX = SLV (Silver), **BLK** (Black)
 Low Profile Anodized Aluminum
 Extrusion,
 available in 6.5' lengths



COTA-LNS-XXX-6.5
XXX = OPL (Opal), **CLR**,
 (Clear), **DIF** (Diffused)
 lens, length 6.5'




COTA-EC-01
 Solid End Cap



COTA-EC-02
 Powerfeed End Cap

Ordering Information



COTA-ADJ-MTBK
Adjustable Mounting Bracket



COTA-MTBK-CL
Clear PC Mounting Clip



UNIV-ADJ-MTBK
Universal Adjustable Mounting Bracket

Diode Visibility



Opal lens



Clear lens



Diffused lens