GLORIETA
Design Guide



Profile & Dimensions







Available TivoTape Options - Indoor

Dual Bend
SB

Note: Double strip may be necessary depending on project.

Ordering Information

GLOR-CHAN-XXX-6.5
XXX = **SLV** (Silver) **WHT** (White), **ABLK** (Anodized Black)
Aluminum Extrusion
available in 6.5′ lengths

GLOR-LNS-SIL-DIF-XXX
XXX (unit in feet) = **10, 50, 100**
Diffused Silicone Lens Roll

GLOR-EC-XXX-01
XXX= **WHT** (White), **SIL** (Silver), **BLK** (Black)
Solid End Cap

GLOR-EC-XXX-02
XXX= **WHT** (White), **SIL** (Silver), **BLK** (Black)
Powerfeed End Cap

Tivoli, LLC. reserves the right to modify this specification without prior notice.
Copyright © Tivoli 07/08/26

www.tivolilighting.com tel: 714-957-6101 fax: 714-427-3458

Joiners & Brackets

GLOR-JOINT-90-V
Vertical 90° Corner Joiner

GLOR-JOINT-90
90° Inside Corner Joiner

GLOR-JOINT-180
180° Joint Bracket

Diode Visibility

NOTE: Based on ELITE+ SB 3000K

Diffused lens

Tivoli, LLC. reserves the right to modify this specification without prior notice.

Copyright © Tivoli 07/08/26

www.tivolilighting.com tel: 714-957-6101 fax: 714-427-3458