


DUET 04 | COLLECTION

Design Guide



Surface Profile & Dimensions





Surface - Ordering Information



DUET-04-CHAN-XXX-6.5
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black)
Aluminum extrusion 6.5′ Length



DUET-04-LNS-XXX-6.5
XXX = **OPL** (Opal), **CLR** (Clear), **DIF** (Diffused), **BLK** (black)
PC lens, 6.5′ Length

DUET-04-REFLCT-6.5
PET inner channel reflector
White, 6.5′ Length



DUET-04-EC-XXX-01
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black) Solid End Cap



DUET-04-EC-XXX-02
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black) Powerfeed End-Cap



DUET-04-CLP-SS
Sliver Stainless Steel Clip



UNIV-ADJ-MTBK
Universal Adjustable Mounting Bracket

Available TivoTape Options - Indoor

DEFINE
SB
HO
LB

ELITE
SB
HO
VHO

ELITE+
Plus
Pro
Vision
Flow

COB
LB
HO

FUSE24
RGB
RGB+W
RGB+W+W
DW
Pixle24 RGB
Pixle24 RGBW


FUSE12
Pixel12 RGB

Tivoli, LLC. reserves the right to modify this specification without prior notice.
Copyright © Tivoli 11/20/26

www.tivolilighting.com tel: 714-957-6101 fax: 714-427-3458

Suspended Profile & Dimensions





Surface - Ordering Information



DUET-04-CHAN-XXX-6.5
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black)
Aluminum extrusion 6.5′ Length



DUET-04-LNS-XXX-6.5
XXX = **OPL** (Opal), **CLR** (Clear), **DIF** (Diffused), **BLK** (black)
PC lens, 6.5′ Length

DUET-04-REFLCT-6.5
PET inner channel reflector
White, 6.5′ Length



DUET-04-EC-XXX-01
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black) Solid End Cap



DUET-04-EC-XXX-02
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black) Powerfeed End-Cap



DUET-04-SS-CBL
Stainless Steel suspension cable with hardware
Factory standard length 78′

Available TivoTape Options - Indoor

DEFINE
SB
HO
LB

ELITE
SB
HO
VHO

ELITE+
Plus
Pro
Vision
Flow


COB
LB
HO


FUSE24
RGB
RGB+W
RGB+W+W
DW
Pixle24 RGB
Pixle24 RGBW

FUSE12
Pixel12 RGB

Tivoli, LLC. reserves the right to modify this specification without prior notice.

Mud-In Profile & Dimensions





Mud-In - Ordering Information



***DUET-04-CHAN-XXX-6.5**
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black)
Aluminum extrusion 6.5′ Length



***DUET-04-CHAN-M-6.5**
Mud-In PC fire-proof extrusion
6.5′ Length



DUET-04-LNS-XXX-6.5
XXX = **OPL** (Opal), **CLR** (Clear), **DIF** (Diffused), **BLK** (black)
PC lens, 6.5′ Length

DUET-04-REFLCT-6.5
PET inner channel reflector
White, 6.5′ Length



DUET-04-EC-XXX-01
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black) Solid End Cap



DUET-04-EC-XXX-02
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black) Powerfeed End-Cap

*Both **DUET-04-CHAN-SLV-6.5** and **DUET-04-CHAN-M-6.5** are required for mud-in application

Available TivoTape Options - Indoor

DEFINE
SB
HO
LB

ELITE
SB
HO
VHO

ELITE+
Plus
Pro
Vision
Flow

COB
LB
HO


FUSE24
RGB
RGB+W
RGB+W+W
DW
Pixle24 RGB
Pixle24 RGBW


FUSE12
Pixel12 RGB

Tivoli, LLC. reserves the right to modify this specification without prior notice.
Copyright © Tivoli 11/20/26

www.tivolilighting.com tel: 714-957-6101 fax: 714-427-3458

Recessed Profile & Dimensions





DUET 04 Recessed Ordering Information



DUET-04-CHAN-XXX-6.5
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black)
Aluminum Extrusion 6.5′ Length




DUET-04-LNS-R-XXX-6.5
XXX = **OPL** (Opal), **CLR** (Clear), **DIF** (Diffused), **BLK** (black)
Recessed PC lens 6.5′ Length




DUET-04-EC-R-XXX-02
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black)
Recessed Powerfeed End-Cap



DUET-04-EC-R-XXX-01
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black)
Recessed Solid End-Cap



DUET-04-LNS-RCO-XX-OPL-6.5
XX (cut-off color) = **WH** (White), **BR** (Brown), **OR** (Orange)
Recessed Opal Cut-Off PC lens 6.5′ Length



DUET-04-CLP-R-SS
Sliver Stainless Steel
Recessed Clip

Available TivoTape Options - Indoor

DEFINE
SB
HO
LB

ELITE
SB
HO
VHO

ELITE+
Plus
Pro
Vision
Flow

COB
LB
HO

FUSE24
RGB
RGB+W
RGB+W+W
DW
Pixle24 RGB
Pixle24 RGBW

FUSE12
Pixel12 RGB

Tivoli, LLC. reserves the right to modify this specification without prior notice.

DUET 04 Joiners



DUET-04-JOINT-180
180° Joint Bracket



DUET-04-JOINT-90-V
Vertical 90° Corner Joiner



DUET-04-JOINT-90
90° Corner Joiner



DUET-04-JOINT-X-30150
X Joiner, 30˚-150˚



DUET-04-JOINT-L-30330-I
L Inside Joiner, 30˚-330˚



DUET-04-JOINT-L-30330-O
L Outside Joiner, 30˚-330˚

DUET-04-JOINT-120-O
120˚Outside Joiner



DUET-04-JOINT-60-V
Vertical 60˚ Corner Joiner



DUET-04-JOINT-120-V
Vertical 120˚ Corner Joiner

DUET 04 Channel Connectors



DUET-04-X-CONN-XXX
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black)
X Connector



DUET-04-L-CONN-XXX
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black)
L Connector



DUET-04-I-L-CONN-XXX
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black)
Inside L Connector



DUET-04-O-L–CONN-XXX
XXX = **SLV** (silver), **WHT** (white), **GLD** (gold), **BLK** (black)
Outside L Connector

Tivoli, LLC. reserves the right to modify this specification without prior notice.

Diode Visibility

NOTE: Based on ELITE+ SB 3000K



Diffused lens



Black lens



Opal lens



Clear lens

Tivoli, LLC. reserves the right to modify this specification without prior notice.

Copyright © Tivoli 11/20/26

www.tivolilighting.com tel: 714-957-6101 fax: 714-427-3458