



# RIDGELINE


Design Guide




Profile & Dimensions



no baffle



with baffle



Available TivoTape Options - Indoor

**DEFINE**  
SB  
HO  
LB

**ELITE**  
SB  
HO  
VHO

**ELITE+**  
Plus  
Pro  
Vision  
Flow

**FUSE24**  
RGB  
RGB+W  
RGB+W+W  
DW  
Pixle24 RGB  
Pixle24 RGBW

**FUSE12**  
PiXEL12 RGB

Available TivoTape Options - Outdoor

**DEFINE**  
SB  
HO  
LB

**ELITE**  
SB  
HO  
VHO

**ELITE+**  
Plus  
Pro  
Vision  
Flow

**FUSE24**  
RGB  
RGB+W  
RGB+W+W  
DW  
Pixle24 RGB  
Pixle24 RGBW

**FUSE12**  
PiXEL12 RGB

Ordering Information



**RIDG-CHAN-SLV-8**  
Anodized Aluminum Extrusion  
length 8'



**RIDG-LNS-XX-8**  
**XX = 10 (10°), 30 (30°)**  
Grazer lens length 8'




**RIDG-EC-SLV-XX**  
**XX = 01 (no hole), 02 (hole)**  
Stainless Steel End Cap



**RIDG-CLP-SLV**  
Metal mounting clip


Ordering Information



**RIDG-BFL-BLK-1**  
1' Baffle for Ridgeline channel,  
Black, snap-on

Photometrics


10° / Based on ELITE+ HO 3000K




**Light Efficiency:**



**Light Quality**



30° / Based on ELITE+ HO 3000K



**Light Efficiency:**



**Light Quality**

