


Project: \_\_\_\_\_ Type: \_\_\_\_\_

## Dimensions



## Order Guide

PRODUCT CODE	TYPE	CHANNELS
<b>DMX</b>	<b>SPLT</b>	<b>8</b>
<b>DMX</b> = DMX Support Hardware	<b>SPLT</b> = Splitter	<b>8</b> = 8 Output Channels

## Specification



Output (based on 3000K)	
Output Channels	4
Electrical	
Input Voltage	12V, 24V DC
Power Consumption	1.5 W
Control	
Mode/Agreement	DMX512
Connection	
Input	RJ45, 3 Pin Hardwire
Output	RJ45, 3 Pin Hardwire
Physical	
Product Dimension	9.84" L x 5.12" W x 0.95" H
Weight	2 lbs.
Certification and Testing	
Certification	cULus
Environment	IP40 Dry Location
Warranty	5 Years

## Component Description

3 Pin Hardwire Connection  
with 1-8 output channels


3 Pin Hardwire Input Connection  
without option for daisy-chain setup

Power input: Universal 12-24V

RJ45 Input Connection  
with 1-8 output channels

RJ45 Input Connection with out  
option for daisy-chain setup

DMX Terminal: On-Off switch



Wiring Diagram - Offline

