




CAT:  FEET:

TYPE:  PROJECT:



Aisle lighting edge delineation system is Patented, field-cutttable, co-extruded, rigid and soft PVC with Titanium Series LED lighting engine.

**Features**

- Individually replaceable LED PCB's snap into Titanium modules for easy and economical maintenance.
- Impervious to water and includes an integral seal for each end.

**Mounting**

Base installed using glue and screws for durability with snap on lens.

**Applications**

Illuminated walkway edge delineation system for theaters and auditoriums.

**Warranty**

5 years





Technical Information

Profiles	Carpet-to-Edge (CE), Carpet-to-wall (CW) Carpet-to-Carpet (CC)			
	4"	6"	12"	18"
LED Spacing O.C.	4"	6"	12"	18"
*Watts/ft	0.0036	0.0024	0.0012	0.0008
CRI	> 80/TYP83			
Kelvin Temp	1900K, 2700K, 3000K, 3500K, 4000K, (+/-80K) SDCM Red, Blue, Amber			
Rated Life	75,000 hrs.			
Max Run Length	120ft./<1W			
Order Increments	4', 8'			
Operating Voltage	12V DC			
Power Supply	Class 2			
Dimmable	Not recommended due to low wattage consumption			

\*Based on 3000K

Profile Dimensions



Ordering Information

PRODUCT CODE	PROFILE	LED COLOR	SPACING	LENS	LENGTH
SATT					
SATT = Soft Aisle Titanium	CC = Carpet to Carpet CW = Carpet to Wall CE = Carpet to Edge	19 = 1900K 27 = 2700K 30 = 3000K 35 = 3500K 40 = 4000K AM = Amber RD = Red BL = Blue	04 = 4" 06 = 6" 12 = 12" 18 = 18"	C = Clear B = Bronze	4.0 = 4' 8.0 = 8'



## Recommended Power Supplies

### ADUL - NON DIMMING

DESCRIPTION	CAT NO	APPLICATION	PRIMARY VOLTAGE	SECONDARY VOLTAGE	CIRCUIT BREAKERS	MAX LOAD	CIRCUIT CAPACITY
ADUL Series Class 2 Transformer	ADUL-80-1-5-12-D	Indoor / Damp	100-277V AC 50/60 HZ	12V DC	1	60W	5A
	ADUL-150-2-5-12-D				2	2x60W	2x5A
	ADUL-240-3-5-12-D				3	3x60W	3x5A
	ADUL-320-4-5-12-D				4	4x60W	4x5A

### ADUL - 0-10V DIMMING

DESCRIPTION	CAT NO	APPLICATION	PRIMARY VOLTAGE	SECONDARY VOLTAGE	CIRCUIT BREAKERS	MAX LOAD	CIRCUIT CAPACITY
ADUL Series Class 2 Transformer	ADUL-80-1-5-12-DOT	Indoor / Damp	100-277V AC 50/60 HZ	12V DC	1	60W	5A
	ADUL-150-2-5-12-DOT				2	2x60W	2x5A
	ADUL-240-3-5-12-DOT				3	3x60W	3x5A
	ADUL-320-4-5-12-DOT				4	4x60W	4x5A

### ADUL - DMX SINGLE ADDRESS

DESCRIPTION	CAT NO	APPLICATION	PRIMARY VOLTAGE	SECONDARY VOLTAGE	CIRCUIT BREAKERS	MAX LOAD	CIRCUIT CAPACITY
ADUL Series Class 2 Transformer	ADUL-80-1-5-12-DIN	Indoor / Damp	100-277V AC 50/60 HZ	12V DC	1	60W	5A
	ADUL-150-2-5-12-DIN				2	2x60W	2x5A
	ADUL-240-3-5-12-DIN				3	3x60W	3x5A


### ADUL - DMX MULTI ADDRESS

DESCRIPTION	CAT NO	APPLICATION	PRIMARY VOLTAGE	SECONDARY VOLTAGE	CIRCUIT BREAKERS	MAX LOAD	CIRCUIT CAPACITY
ADUL Series Class 2 Transformer	ADUL-150-2-5-12-DIN-2	Indoor / Damp	100-277V AC 50/60 HZ	12V DC	2	2x60W	2x5A
	ADUL-240-3-5-12-DIN-3				3	3x60W	3x5A
	ADUL-320-4-5-12-DIN-4				4	4x60W	4x5A


### INFINITY - MLV / ELV / 0-10V / PWM / TRIAC

DESCRIPTION	CAT NO	APPLICATION	PRIMARY VOLTAGE	SECONDARY VOLTAGE	CIRCUIT BREAKERS	MAX LOAD	MIN LOAD	CIRCUIT CAPACITY
Infinity Series Class 2 Transformer	INF-J-30-1-2.5-12	Indoor / Outdoor	100 - 277V AC	12V DC	1	30W	3W	2.5A
	INF-J-60-1-5-12				1	60W	6W	5A
	INF-J-180-3-5-12				3	3x60W	3x6W	3x5A
	INF-J-300-5-5-12				5	5x60W	5x6W	5x5A


## Accessories - Extrusion End Caps



**SATT-CW-CC-EC-06**  
L/R Carpet to Wall/Carpet To Carpet End Cap Assembly - Includes 6" pre-mitered extrusion with End Cap installed. Works for left or right. Clear Lens.  
**SATT-CW-CC-EC-06-B**  
Same as above with Bronze Lens




**SATT-CE-LS-EC-06**  
Left End Cap Assembly, Carpet to Edge - Includes 6" pre-mitered extrusion with Left End Cap installed. Clear Lens.  
**SATT-CE-LS-EC-06-B**  
Same as above with Bronze Lens.




**SATT-CE-RS-EC-06**  
Right End Cap Assembly, Carpet to Edge - Includes 6" pre-mitered extrusion with Right End Cap installed. Clear Lens.  
**SATT-CE-RS-EC-06-B**  
Same as above with Bronze Lens.


## Mounting Accessories



**SATT-LNS-SEALS**  
Replaceable lens seam seals



**JBOX-LP**  
Junction box, low profile




**BS-CC-8**  
Wall wireway, 8' Black Base & Conduit Cover




**BSL-PC-1/4**  
1/4" Flex Conduit, Black

## Replacement Parts




**REPLACEMENT LED PCB**

- TT-LED-19**  
1900K
- TT-LED-27**  
2700K
- TT-LED-30**  
3000K
- TT-LED-35**  
3500K
- TT-LED-40**  
4000K
- TT-LED-AM**  
Amber
- TT-LED-BL**  
Blue
- TT-LED-RD**  
Red




**4" O.C. REPLACEMENT STRAND WITH LED**

- SATT-04-STRAND-XX**  
Available in XX = 19/27/30/35/40
- SATT-04-STRAND-RD**  
Replacement Strand with Red LED
- SATT-04-STRAND-BL**  
Replacement Strand with Blue LED
- SATT-04-STRAND-AM**  
Replacement Strand with Amber LED




**6" O.C. REPLACEMENT STRAND WITH LED**

- SATT-06-STRAND-XX**  
Available in XX = 19/27/30/35/40
- SATT-06-STRAND-RD**  
Replacement Strand with Red LED
- SATT-06-STRAND-BL**  
Replacement Strand with Blue LED
- SATT-06-STRAND-AM**  
Replacement Strand with Amber LED




**12" O.C. REPLACEMENT STRAND WITH LED**

- SATT-12-STRAND-XX**  
Available in XX = 19/27/30/35/40
- SATT-12-STRAND-RD**  
Replacement Strand with Red LED
- SATT-12-STRAND-BL**  
Replacement Strand with Blue LED
- SATT-12-STRAND-AM**  
Replacement Strand with Amber LED



**18" O.C. REPLACEMENT STRAND WITH LED**

- SATT-18-STRAND-XX**  
Available in XX = 19/27/30/35/40
- SATT-18-STRAND-RD**  
Replacement Strand with Red LED
- SATT-18-STRAND-BL**  
Replacement Strand with Blue LED
- SATT-18-STRAND-AM**  
Replacement Strand with Amber LED



**WW-CC-BK-8**

Carpet to Carpet Base Black and Lens/Cover 8' Black

**WW-CC-GY-8**

Carpet to Carpet Base Black and Lens/Cover 8' Grey

**WW-CW-BK-8**

Carpet to Wall Base Black and Lens/Cover 8' Black

**WW-CW-GY-8**

Carpet to Wall Base Black and Lens/Cover 8' Grey

**WW-CW-BS-8**

Base Only, Carpet to Wall, Black, 8'

**WW-CC-BS-8**

Base Only, Carpet to Carpet, Black, 8'

**WW-TC-CL-8**

Lens/Cover Only, Clear, 8'

**WW-TC-BK-8**


Lens/Cover Only, Black, 8'

**WW-TC-BZ-8**

Lens/Cover Only, Bronze, 8'

**WW-TC-GY-8**

Lens/Cover Only, Gray, 8'



**WW-CE-BK-8**

Carpet to Edge Base Black and Lens/Cover 8' Black

**WW-CE-GY-8**

Carpet to Edge Base Black and Lens/Cover 8' Gray

**WW-CE-BS-8**

Base Only, Black Carpet To Edge, Black, 8'

**WW-TC-CL-8**

Lens/Cover Only, Clear, 8'

**WW-TC-BK-8**


Lens/Cover Only, Black, 8'

**WW-TC-BZ-8**

Lens Cover Only, Bronze, 8'


**WW-TC-GY-8**

Lens/Cover Only, Gray, 8'



**Floor to Floor Application add**


BNS-TT-R-12



**BS-CC-8**

Wall wireway, 8' Black Base & Conduit Cover

## Two Tone Bullnose Accessories



**BNS-TT-R-12**

Step Reducer, 12' Section



**ADH-MB-75AM-10**

Extrusion adhesive, 10.1 oz tubes, sold individually. 30 per case.


**ADH-MB-75AM-29**

Extrusion adhesive, 29 oz tubes, sold individually. 12 per case.




**ADH-IA-10.2-CA**

End Cap Adhesive, Clear liquid adhesive for end caps. 10.2 oz tubes sold individually in case of 12 each.



**TM-3/16**

Concrete Screw 3/16" x 1 3/4"



**RONDB-1/8**

Concrete Drill Bit 1/8" nail.