



NOVA


Design Guide



Ceiling



Wall




Direct
Symmetric



PROFILE DIMENSIONS



Silver Trim / Opal Lens




AVAILABLE TIVOTAPE™ OPTIONS

Based on 3000K / Delivered Lumens

SB 3 W/ft 130lm/ft	XS 3.3 W/ft 149lm/ft	HO 4.4 W/ft 190lm/ft	HD 7 W/ft 270lm/ft	VHO 7.2 W/ft 420lm/ft	Tunable White 3 W/ft 126lm/ft	RGB 4.1 W/ft 69lm/ft	RGBW 5.3 W/ft 132lm/ft (Total Delivered Lumen)
---------------------------------	-----------------------------------	-----------------------------------	---------------------------------	------------------------------------	--	-----------------------------------	--

2200K	2400K	2700K	3000K	3000K	3500K	2200K - 3000K	
3500K	4000K	5000K				2700K - 4000K	
						2200K - 6500K	

ORDERING INFORMATION



NOVA-CHAN-SLV-6.5
Silver Anodized Aluminum
Extrusion, 6.5' Lengths



NOVA-LNS-OP-6.5
Lens, Opal, 6.5' Lengths




NOVA-EC-02
White Left/Right
Powerfeed End Cap



NOVA-EC-01
White Left/Right
Solid End Cap




MTBK-03
Mounting Clip




MINI WITH 3000K XS
Delivered Lumens per foot: 149
Watts per foot: 3.3
CRI : 96
Peak Candela: 39.6

Lens Pixelation



SB



XS



HO



VHO

