




VALENCIA

Design Guide



Profile & Dimensions



Available TivoTape Options - Indoor

<p>DEFINE SB HO LB</p>	<p>ELITE SB HO</p>	<p>ELITE+ Standard Pro Vision Flow</p>	<p>FUSE24 RGB RGBW</p>	<p>FUSE12 PIXEL RGB</p>
---	-----------------------------------	---	---------------------------------------	------------------------------------


Available TivoTape Options - Outdoor

<p>DEFINE SB HO LB</p>	<p>FUSE24 RGB</p>	<p>FUSE12 PIXEL RGB</p>	
---	------------------------------	------------------------------------	--

Ordering Information


 <p>VALN-CHAN-SLV-6.5 Anodized Aluminum Extrusion, available in 6.5' lengths</p>	 <p>VALN-LNS-OPL-6.5 Opal lens, length 6.5'</p>	 <p>VALN-EC-01 Solid End Cap</p>	 <p>VALN-EC-02 Powerfeed End Cap</p>
<hr/>			
 <p>VALN-MTBK Clip, Metal</p>			

Photometrics (based on 30K HO ELITE)



VALENCIA WITH 3000K XS
Delivered Lumens per foot: 165
Watts per foot: 3.3
CRI : 97
Peak Candela: 39.6

Diode Visibility



Opal lens

