




M-CHAN

Design Guide



Profile & Dimensions

MCHAN LP



Available TivoTape Options - Indoor

DEFINE SB HO LB	ELITE SB HO	ELITE+ Standard Pro Vision Flow	FUSE24 RGB RGBW	FUSE12 PIXEL RGB
---------------------------------	--------------------------	--	------------------------------	----------------------------

Available TivoTape Options - Outdoor

DEFINE SB LB	FUSE24 RGB	FUSE12 PIXEL RGB
---------------------------	----------------------	----------------------------

Ordering Information




MCHAN-8-LP
Low Profile channel, clear polycarbonate, length 8'

NOTE: No lens option

Profile & Dimensions

45 DEGREE MCHAN



Available TivoTape Options - Indoor

<p>DEFINE SB LB</p>	<p>FUSE24 RGB</p>	<p>FUSE12 PIXEL RGB</p>
------------------------------------	------------------------------	------------------------------------

Ordering Information



TPL-I-45-MCH-8
45° Mounting channel, white PVC, length 8'



INF-C-LNS-8
Lens, clear, length 8'.
INF-F-LNS-8
Lens, frosted, length 8'.

Diode Visibility





Frosted lens



Clear lens

Profile & Dimensions

45 DEGREE MCHAN - NO LENS



Available TivoTape Options - Indoor

DEFINE

SB
HO
LB

ELITE

SB
HO

ELITE+

Standard
Pro
Vision
Flow

FUSE24

RGB
RGBW

FUSE12

PIXEL RGB

Available TivoTape Options - Outdoor

DEFINE

SB
LB


FUSE24

RGB

FUSE12

PIXEL RGB

Ordering Information



TPL-I-45-MCH-8-S

45° Mounting channel, NO
LENS OPTION white PVC,
length 8'

NOTE: No lens option